

# RUBBER DISTRIBUTION BOX PYRAMID LINE

DESIGNED AND BUILT TO SATISFY THE NEEDS OF THE CUSTOMER IN ACCORDANCE WITH THE I.E.C. REGULATIONS - ESTIMATE UPON REQUEST



SP32M2WP	
Splitter CEE 17 32A 230V 1PH+N+E 2 way	
Input	1 x CEE 17 32A 230V 3P
Output	2 x CEE 17 32A 230V 3P



SP16M3WP	
Splitter CEE 17 16A 230V 1PH+N+E 3 way	
Input	1 x CEE 17 16A 230V 3P
Output	3 x CEE 17 16A 230V 3P



SP16M5WP	
Splitter CEE 17 16A 230V 1PH+N+E 5 way	
Input	1 x CEE 17 16A 230V 3P
Output	1 x CEE 17 16A 230V 3P 4 x Powercon 3P out



4D1M2F19	
Splitter Syntax SSX 19 pin 2 way	
Input	1 x Syntax SSX 19 pin male *
Output	2 x Syntax SSX 19 pin female *



NOTE	
*	Socapex 419 compatible

# BRICK LINE RUBBER DISTRIBUTION BOX

DESIGNED AND BUILT TO SATISFY THE NEEDS OF THE CUSTOMER IN ACCORDANCE WITH THE I.E.C. REGULATIONS - ESTIMATE UPON REQUEST



PBF32M4M1R	
Input	1 x appliance plug CEE 17 32Amp 2P+E 230V IP44 1 neon lamp red color
Output	4 x sockets CEE 17 16Amp 2P+E 230V IP44 2 neon lamps green color
Main power protection	1 x RCBO 32A 1P+N "C" 30mA class AC 2 x MCB 16A 1P+N "C"



PBF32P3M2R	
Input	1 x appliance plug CEE 17 32Amp 4P+E 400V IP44 3 neon lamps red color
Output	3 x sockets CEE 17 32Amp 2P+E 230V IP44 3 neon lamps green color
Protection	3 RCBO 32A 1P+N "C" 30mA class AC



PBF32M4M1CC	
In	1 x CEE 17 32A 230V 3P with cable H07RN-F 5G6 mmq
Out	4 x CEE 17 16A 230V 3P
Protection	1 x RCBO 32A 2P 30mA "C" 2 x MCB 16A 2P "C"



SP19M6FBC	
Splitter Socapex / CEE 17	
In	1 x Syntax SSX 19 pin male *
Out	6 x CEE 17 16A 230V 3P female with neon lamps warning

NOTE	
*	Socapex 419 compatible
MCB	Miniature Circuit Breaker
RCBO	Residual Current Circuit Breaker

# MINI BRICK LINE RUBBER DISTRIBUTION BOX

PRODOTTI REALIZZATI SU RICHIESTA NEL RISPETTO DELLE NORME TECNICHE - INTERPELLATECI PER UN PREVENTIVO



## PBF16M5M1LSXC

Input power	1 flying plug CEE 16A 2P+T 230V IP44 black color with cable 2 m. SYNTAX® 3G2,5 mmq.
Outputs power	5 pluri standard sockets 16A bivalent 2P+T 230V IP2X black color (Italian standard CEI 23-50 and German VDE 0620).



## PBF16M5M1LSX

Input power	1 panel plug CEE 16A 2P+T 230V IP44 black color
Outputs power	5 pluri standard sockets 16A bivalent 2P+T 230V IP2X black color (Italian standard CEI 23-50 and German VDE 0620)



## PBF16M5M1LSRX

Input power	1 panel plug CEE 16A 2P+T 230V IP44 black color
Restart power	1 panel socket CEE 16A 2P+T 230V IP44 black color
Outputs power	5 pluri standard sockets 16A bivalent 2P+T 230V IP2X black color (Italian standard CEI 23-50 and German VDE 0620)



# MINI BRICK LINE RUBBER DISTRIBUTION BOX

DESIGNED AND BUILT TO SATISFY THE NEEDS OF THE CUSTOMER IN ACCORDANCE WITH THE I.E.C. REGULATIONS - ESTIMATE UPON REQUEST



## PBF16M5M1LSPCX

Input power	1 PowerCON blue color
Outputs power	5 pluri standard sockets 16A Italian/German 2P+T 230V IP2X



## PBF16M5M1LSPCRX

Input power	1 PowerCON blue color
Restart power	1 PowerCON gray colore
Outputs power	5 pluri standard sockets 16A Italian/German 2P+T 230V IP2X



## PBF16M5M1LSRXC

Input power	1 CEE 16A 2P+T 230V plug + 2 m. cable
Restart power	1 CEE 16A 2P+T 230V socket
Outputs power	5 pluri standard sockets 16A Italian/German 2P+T 230V IP2X

POWER DISTRIBUTION POWER BOX



# RUBBER DISTRIBUTION BOX **TURTLE LINE**

DESIGNED AND BUILT TO SATISFY THE NEEDS OF THE CUSTOMER IN ACCORDANCE WITH THE I.E.C. REGULATIONS - ESTIMATE UPON REQUEST



PBF32P6M1TC	
Input	1 x plug CEE 17 32Amp 4P+E 400V IP44
	2 m. cable Syntax® 5G6 mmq.
	3 neon lamps red color
Output	6 x sockets CEE 17 16Amp 2P+E 230V IP44
	6 neon lamps green color
Main power protection	1 x RCD 40A 4P 30mA class AC
	6 x MCB 16A 1P+N "C"



PBF63P2P2T	
Input	1 x appliance plug CEE 17 63Amp 4P+E 400V IP67
	3 neon lamps red color
Output	2 x sockets CEE 17 32Amp 4P+E 400V IP44
	2 neon lamps green color
Main power protection	1 x RCD 63A 4P 30mA class AC
	2 x MCB 32 4P "C"



PBF32P3M2T	
Power Box 400V 32A 3PH+N+E	
Input	1 x CEE 17 32A 400V 5P
Output	3 x CEE 17 32A 230V 3P
Protection	1 x RCD 40A 4P 30mA
	3 x MCB 32A 2P "C"
	3 neon lamps warning

NOTE	
RCD	Residual Current Device
MCB	Miniature Circuit Breaker

# HARD RUBBER DISTRIBUTION BOX **CUBE 4 LINE**

DESIGNED AND BUILT TO SATISFY THE NEEDS OF THE CUSTOMER IN ACCORDANCE WITH THE I.E.C. REGULATIONS - ESTIMATE UPON REQUEST

POWER DISTRIBUTION POWER BOX



PBF63P12M14	
Input	1 x CEE 17 63A 400V 5P IP67 + 3 neon red lamps
Output	12 x CEE 17 16A 230V 3P IP44 + 12 neon green lamps
Protection	1 x RCD 63A 4P 30mA (main power) 12 x MCB 16A 1P+N "C"



PBF63P6M24	
Input	1 x CEE 17 63A 400V 5P IP67 + 3 neon red lamps
Output	6 x CEE 17 32A 230V 3P IP44 + 6 neon green lamps
Protection	1 x RCD 63A 4P 30mA (main power) 6 x MCB 32A 1P+N "C"



PBF63P4S194	
Input	1 x CEE 17 63A 400V 5P IP67 + 3 neon red lamps
Output	4 x SYNTAX SSX 19 pin female (*) IP67 + 24 neon green lamps
Protection	1 x RCD 63A 4P 30mA (main power) 12 x MCB 16A 1P+N "C" 1 x Multimeter digital with 6 display 3 digits (for control of voltage, current and frequency)



PBF125P2P34	
Input	1 x CEE 17 125A 400V 5P IP67 + 3 neon red lamps
Output	2 x CEE 17 63A 400V 5P IP44 + 2 neon green lamps
Protection	1 x MCB 125A 4P "C" (main power) 2 x RCBO 63A 4P "C" 300mA.



NOTE	
RCD	Residual Current Device
MCB	Miniature Circuit Breaker
RCBO	Residual Current Circuit Breaker
*	socapex 419 compatible